



PLANNED LIGHTING LEVELS AND TYPE
 LED LAMPS ONLY TO BE USED
 LED LAMPS TO BE < 2700°K
 LED LAMPS TO HAVE PEAK WAVELENGTHS HIGHER THAN 500nm
 LIGHTING LEVEL TO BE 1 LUX (CENTRELINE OF PATH)

GENERAL NOTES:

P02	FOR PLANNING REVIEW (STG 2)	A.A.	07/03/24
P01	FOR PLANNING REVIEW (STG 2)	A.A.	FEB.24
REV:	DESCRIPTION:	BY:	DATE:

CLIENT:
 CAVAN COUNTY COUNCIL

PROJECT NAME:
 CAVAN REGIONAL SPORTS CAMPUS

DRAWING TITLE:
 PROPOSED PATHWAY LIGHTING

JCP CONSULTING

Address: Lomond House, 85-87 Hollywood Road, Belfast, BT4 3BD
Telephone: +44(0)28 9022 1100
Email: consult@jcpconsulting.co.uk
Web: www.jcpconsulting.co.uk

Date: 26/01/24	Drwn by: SC	Chkd by: A.A.	Scale: 1:1000	Page:
Project No: 9955	Issue: STAGE 2	Status: S0	Revision:	P02
Drawing Number: 9955-JCP-ZZ-00-DR-E-63001				